

Contact housing Trac F - 15-poles

Item number: FKEH15

Product weight (kg): 0.0413 kg

Packing unit:




TECHNICAL CHARACTERISTICS

Shell material: Reinforced polyester

Operation temperature [°C]: -55 - +105

DIMENSIONS





DIMENSIONS

L1 [mm]:	84.7
----------	------

Height [mm]:	31
--------------	----

S1 [mm]:	14.8
----------	------

Trac F contacts, faston contact AWG 20 - 17

Item number: FSCF-20

Product weight (kg): 0.0007 kg


Packing unit: 100



TECHNICAL CHARACTERISTICS

Contact type:	Socket
Contact Material:	brass
Protective layer:	Tin plated
Connection type:	Crimp
Wire section [mm²]:	0.5 - 1.0
Wire section [AWG]:	20 - 17

DIMENSIONS



DIMENSIONS

L1 [mm]:	19.0
L2 [mm]:	7.7

Trac F contacts, faston contact AWG 17 - 14

Item number: FSCF-17

Product weight (kg): 0.0001 kg


Packing unit:



TECHNICAL CHARACTERISTICS

Contact type:	Socket
Contact Material:	brass
Protective layer:	Tin plated
Connection type:	Crimp
Wire section [mm²]:	1.0 - 2.5
Wire section [AWG]:	17 - 14

DIMENSIONS



DIMENSIONS

L1 [mm]:	19.0
L2 [mm]:	7.7